

| Lamin B1 Mouse Monoclonal Antibody(7C11) | | | | | |
|--|---------|--------------------------|------------------|---|--|
| Catalog | TDY049C | TDY049F | | Tel: 010-82908854 Free: 400-0620-621 | |
| Quantity | 50µL | 100µL | | Web: www.tdybio.com | |
| For research use only. | | | | | |
| Applications | | Species Cross-Reactivity | Molecular Weight | Isotype | |
| WB, IP | | H, R, M | 68KD | lgG1 | |

Storage Buffer & Condition: PBS, pH 7.4, containing 0.02% **sodium azide** as Preservative and 50% Glycerol. Store at **-20°C**. **Do not aliquot the antibody**.


Recommended dilutions: WB: 1:2,000-5,000 IP:1:200


Optimal dilutions should be determined by the end user.

Specificity: The Lamin B1 antibody can detects endogenous Lamin B1 protein.

Alternative Names: ADLD, LMB1, LMNB1, MGC111419, OTTHUMP00000159218

Background: The nuclear lamina consists of a two-dimensional matrix of proteins located next to the inner nuclear membrane. The lamin family of proteins make up the matrix and are highly conserved in evolution. During mitosis, the lamina matrix is reversibly disassembled as the lamin proteins are phosphorylated. Lamin proteins are thought to be involved in nuclear stability, chromatin structure and gene expression. Vertebrate lamins consist of two types, A and B. This gene encodes one of the two B type proteins, B1.





Western blot analysis of 1) HepG2, 2) 293T, 3) Mouse Brain Tissue, 4) Rat Brain Tissue with TDY049 diluted at 1:5,000. 1, Input: Mouse Brain Tissue Lysate

2, IP product: IP dilute 1:200

Western blot analysis: primary antibody : TDY0491:5,000Secondary antibody: Goat anti-Mouse IgG, Light chain specific(S003),1:5,000