

Catalog	TDY345C	TDY345F		Tel: 010-82908854
			We	b: www.tdybio.com
Quantity	50µL	100µL	Entrez-Gene ID:5598 , Swiss-Prot Acc.Q13164	
For research use only.				
Applications		Species Cross-Reactivity	Molecular Weight	Isotype
WB, IHC		H, R, M	89-115KD	lgG

Storage Buffer & Condition: Affinity Purified IgG, PBS, pH 7.4, containing 0.02% *sodium azide* as Preservative and 50% Glycerol.

Store at -20°C. Do not aliquot the antibody.


Recommended dilutions: WB: 1:1,000-2,000 IHC:1:200-500

Optimal dilutions should be determined by the end user.

Specificity: Antibody can detects endogenous ERK5 protein.

Alternative Names: MAPK7 antibody, BMK1 antibody, MK07 antibody, PRKM7 antibody, EC 2.7.11.24 antibody

Background: ERK5, Mitogen-activated protein kinase 7 also known as MAP kinase 7 is an enzyme that in humans is encoded by the *MAPK7* gene. MAPK7 is a member of the MAP kinase family. MAP kinases act as an integration point for multiple biochemical signals, and are involved in a wide variety of cellular processes such as proliferation, differentiation, transcription regulation and development.



Western blot analysis of 1) Hela, 2)293T, 3)Mouse Skeletal Muscle, 4)Rat Kidney, 5) Rat Skeletal Muscle with ERK5 Rabbit pAb TDY345 diluted at 1:2,000. Immunohistochemical analysis of paraffin-embedded human Breast caricnoma using ERK5 (TDY345) Rabbit pAb diluted at 1:500.