

## Cystatin C Mouse Monoclonal Antibody(5F1)

Catalog TDY598C TDY598F

Tel: 010-80117836

Web: [www.tdybio.com](http://www.tdybio.com)

Quantity 50μL 100μL

Entrez-Gene ID#1471 , Swiss-Prot Acc.#P01034

**For research use only.**

Applications	Species Cross-Reactivity	Molecular Weight	Isotype
WB,IHC,ELISA	H	~14KD	IgG1

**Storage Buffer & Condition:** PBS, pH 7.4, containing 0.02% **sodium azide** as Preservative and 50% Glycerol.


Store at **-20°C. Do not aliquot the antibody.**

**Recommended dilutions:** WB: 1:1,000-2,000 IHC: 1:100-200 ELISA: 1:10,000-20,000


**Optimal dilutions should be determined by the end user.**

**Specificity:** Antibody can detects endogenous Cystatin C protein.


**Alternative Names:** AD8, Cystatin3, Gamma trace, HCCAA



Immunohistochemical analysis of paraffin-embedded Human Kidney Tissue using Cystatin C (TDY598) Mouse mAb diluted at 1:200.



Immunohistochemical analysis of paraffin-embedded Human Brain Tissue using Cystatin C (TDY598) Mouse mAb diluted at 1:200.



Immunohistochemical analysis of paraffin-embedded Human Brain Tissue using Cystatin C (TDY598) Mouse mAb diluted at 1:200.

**Applications:** WB-Western blot IHC-Immunochemistry IF-Immunofluorescence IP-Immunoprecipitation ChIP-Chormatin Immunoprecipitation  
**Reactivity:** H-Human R-Rat M-Mouse Mk-Monkey Dg-Dog Ch-Chicken Hm-Hamster Rb-Rabbit Sh-Sheep Pg-Pig Z-Zebrafish