天德瑞(北京)生物科技有限公司

C. Elegans β -actin Rabbit Polyclonal Antibody

Catalog TDY1000C TDY1000F Tel: 010-80117836

Web: www.tdybio.com

Quantity 50µL 100µL Entrez-Gene ID:179535 , Swiss-Prot Acc.P0DM41

For research use only.

Applications	Species Cross-Reactivity	Molecular Weight	Isotype
WB	C. Elegans (H, M, R)	43KD	IaG

Storage Buffer & Condition: Antigen Affinity Purified IgG in PBS, pH 7.4, containing 0.02% **sodium azide** as Preservativeand 50% Glycerol.

Store at -20°C. Do not aliquot the antibody.


Recommended dilutions: WB:1:10,000-50,000

Optimal dilutions should be determined by the end user.

Specificity: Antibody can detects endogenous C.Elegans β -actin protein, predict Cross-Reactivity with Human, Mouse, Rat.

Alternative Names: actin antibody, b-actin antibody, beta-actin antibody

Background: β -actin is one of six different actin isoforms that have been identified. The actin molecules found in cells of various species and tissues tend to be very similar in their immunological and physical properties. Therefore, antibodies against β -actin are useful as loading controls for Western Blotting. However it should be noted that levels of β -actin may not be stable in certain cells. For example, expression of β -actin in adipose tissue is very low and therefore β -actin should not be used as loading control for these tissues.



Western blot analysis of C.Elegans whole body Lysate using (TDY1000)

Rabbit pAb diluted at 1:20,000.