

P53 Mouse Monoclonal Antibody(4A12)				
Catalog	TDY807C	TDY807F		T-1 040 00447000
Quantity	50µL	100µL		Tel: 010-80117836 Web: www.tdybio.com Swiss-Prot Acc.P04637
For research use only.				
Applica	tions	Species Cross-Reactivity	Molecular Weight	lsotype
IHC	;	Н	53KD	lgG1

Storage Buffer & Condition: Affinity Purified IgG, PBS, pH 7.4, containing 0.02% *sodium azide* as Preservative and 50% Glycerol.

Store at -20°C. Do not aliquot the antibody.


Recommended dilutions: IHC: 1:500-1,000

Optimal dilutions should be determined by the end user.

Specificity: Antibody can detects endogenous p53 protein.

Alternative Names: Cellular tumor antigen p53 antibody, Cys 51 stop antibody, Tp53 antibody, Tumor protein p53 antibody

Background: p53 plays a major role in the cellular response to DNA damage and other genomic aberrations. The activation of p53 can lead to either cell cycle arrest and DNA repair, or apoptosis. p53 is phosphorylated at multiple sites in vivo and by several different protein kinases in vitro.



Immunohistochemical analysis of paraffin-embedded Human Breast Carcinoma Tissue using P53 (TDY807)Mouse mAb diluted at 1:200.